

DARK RUM

Page: 1

Compilation date: 26/01/2017

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product code: 33839F

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC28: Perfumes, fragrances. PC31: Polishes and wax blends.

1.3. Details of the supplier of the safety data sheet

Company name: The Candle Making Shop

Unit 7 Oak Drive

Alnwick NE66 2EU

UK

Tel: 01665 798010

Email: sales@thecandlemakingshop.co.uk

1.4. Emergency telephone number

Emergency tel: 01665 798010

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Irrit. 2: H315; Skin Sens. 1B: H317; Acute Tox. 4: H302; Aquatic Chronic 2: H411; -:

EUH208

Most important adverse effects: Contains acetylcedrene, trans-anethole, dihydropentamethylindanone, coumarin,

methylenedioxyphenyl methylpropanal, hydroxyisohexyl 3-cyclohexene carboxaldehyde,

2,4-dimethyl-3-cyclohexene carboxaldehyde, d-limonene. May produce an allergic reaction. Harmful if swallowed. Causes skin irritation. May cause an allergic skin

reaction. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains acetylcedrene, trans-anethole, dihydropentamethylindanone,

coumarin, methylenedioxyphenyl methylpropanal, hydroxyisohexyl 3-cyclohexene

carboxaldehyde, 2,4-dimethyl-3-cyclohexene carboxaldehyde, d-limonene. May produce

an allergic reaction.

H302: Harmful if swallowed. H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H411: Toxic to aquatic life with long lasting effects.

DARK RUM

Page: 2

Hazard pictograms: GHS07: Exclamation mark

GHS09: Environmental





Signal words: Warning

Precautionary statements: P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+312: IF SWALLOWED: Call a if you feel unwell.
P302+352: IF ON SKIN: Wash with plenty of water/soap.
P321: Specific treatment (see instructions on this label).

P330: Rinse mouth.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

BENZYL BENZOATE

ACETYLCEDRENE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
204-402-9	120-51-4	-	Acute Tox. 4: H302; Aquatic Chronic 2: H411	10-30%
TETRAMETHY	L ACETYLOCTAH	YDRONAPHTHALENES		
259-174-3	54464-57-2	-	Skin Irrit. 2: H315; Skin Sens. 1B: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	
2,6-DIMETHYL	-7-OCTEN-2-OL		·	
242-362-4	18479-58-8	-	Eye Irrit. 2: H319	1-10%
BUTYLPHENYI	L METHYLPROPIC	DNAL		
201-289-8	80-54-6	-	Acute Tox. 4: H302; Skin Irrit. 2: H315; Skin Sens. 1B: H317; Repr. 2: H361fd; Aquatic Chronic 2: H411	1-10%

251-020-3 32388-55-9 - Skin Sens. 1B: H317; Aquatic Acute 1: <1% H400; Aquatic Chronic 1: H410

DARK RUM

Page: 3

224-052-0	4180-23-8	-	Skin Sens. 1B: H317	<1%
DIHYDROPEN	 NTAMETHYLINDAI	NONE		
251-649-3	33704-61-9	-	Skin Irrit. 2: H315; Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Sens. 1B: H317	<1%
COUMARIN				
202-086-7	91-64-5	-	Acute Tox. 4: H302; Skin Sens. 1B: H317	<1%
METHYLENEI	DIOXYPHENYL ME	THYLPROPANAL		
214-881-6	1205-17-0	-	Skin Sens. 1B: H317; Aquatic Chronic 2: H411	<1%
HYDROXYISO	DHEXYL 3-CYCLO	HEXENE CARBOXALDEH	IYDE	
250-863-4	31906-04-4	-	Skin Sens. 1B: H317	<1%
OKOUMAL				
412-950-7	131812-67-4	-	Aquatic Acute 1: H400; Aquatic Chronic 1: H410	<1%
2-METHYL-4-	(2,2,3-TRIMETHYL	-3-CYCLOPENTEN-1-YL)-	-2-BUTEN-1-OL	
248-907-2	28219-60-5	-	Eye Irrit. 2: H319; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	<1%
2,4-DIMETHY	L-3-CYCLOHEXEN	IE CARBOXALDEHYDE		
268-264-1	68039-49-6	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319; Skin Sens. 1B: H317; Aquatic Chronic 3: H412	<1%
METHYL DEC	ENOL			
279-815-0	81782-77-6	-	Aquatic Acute 1: H400	<1%
D-LIMONENE				
227-813-5	5989-27-5	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	<1%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water

to drink immediately. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

DARK RUM

Page: 4

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat. There may be difficulty

swallowing. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: Absorption through the lungs can occur causing symptoms similar to those of ingestion.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Mark out the contaminated area

with signs and prevent access to unauthorised personnel. Turn leaking containers

leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid the formation or spread of mists in the air. Avoid direct contact with the substance.

DARK RUM

Page: 5

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Pale yellow

Odour: Pleasant

Flash point°C: >93

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

DARK RUM

Page: 6

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

BENZYL BENZOATE

ORL	MUS	LD50	1400	μl/kg
ORL	RAT	LD50	1700	μl/kg
SKN	RAT	LD50	4	ml/kg

D-LIMONENE

ORL	MUS	LD50	5600	mg/kg
ORL	RAT	LD50	4400	mg/kg
SCU	MUS	LD50	3170	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	ING	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Respiratory/skin sensitisation	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat. There may be difficulty

swallowing. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: Absorption through the lungs can occur causing symptoms similar to those of ingestion.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

DARK RUM

Page: 7

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN3082

14.2. UN proper shipping name

Shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es)

Transport class: 9

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: Yes Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

DARK RUM

Page: 8

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H361fd: Suspected of damaging fertility. Suspected of damaging the unborn child.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.