

SAFETY DATA SHEET

ETERNAL SUMMER

Page: 1

Compilation date: 03/09/2017

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier****Product name:** ETERNAL SUMMER**Product code:** 481378**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of substance / mixture:** PC28: Perfumes, fragrances. PC31: Polishes and wax blends.**1.3. Details of the supplier of the safety data sheet****Company name:** The Candle Making Shop

Unit 7 Oak Drive

Alnwick

NE66 2EU

UK

Tel: 01665 798010**Email:** sales@thecandlemakingshop.co.uk**1.4. Emergency telephone number****Emergency tel:** 01665 798010**Section 2: Hazards identification****2.1. Classification of the substance or mixture****Classification under CLP:** Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317; -: EUH208**Most important adverse effects:** Contains geraniol, p-menthan-7-ol, citronellol, pentadecalactone, beta-pinenes, methoxyhydratropaldehyde, coumarin, trans-anethole, nerol, delta-damascone, isoeugenol, rose ketone-4. May produce an allergic reaction. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.**2.2. Label elements****Label elements:****Hazard statements:** EUH208: Contains geraniol, p-menthan-7-ol, citronellol, pentadecalactone, beta-pinenes, methoxyhydratropaldehyde, coumarin, trans-anethole, nerol, delta-damascone, isoeugenol, rose ketone-4. May produce an allergic reaction.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

[cont...]

SAFETY DATA SHEET

ETERNAL SUMMER

Page: 2

Hazard pictograms: GHS07: Exclamation mark

GHS09: Environmental



Signal words: Warning

Precautionary statements: P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+352: IF ON SKIN: Wash with plenty of water/soap.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321: Specific treatment (see instructions on this label).

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

HEXYL CINNAMAL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
202-983-3	101-86-0	-	Skin Sens. 1B: H317; Aquatic Acute 1: H400; Aquatic Chronic 2: H411	10-30%

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES

259-174-3	54464-57-2	-	Skin Irrit. 2: H315; Skin Sens. 1B: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	10-30%
-----------	------------	---	--	--------

1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLINDENO[5,6-C]PYRAN

214-946-9	1222-05-5	-	Aquatic Chronic 1: H410; Aquatic Acute 1: H400	10-30%
-----------	-----------	---	--	--------

LINALYL ACETATE

204-116-4	115-95-7	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319	1-10%
-----------	----------	---	---	-------

HEXYL SALICYLATE

228-408-6	6259-76-3	-	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	1-10%
-----------	-----------	---	---	-------

[cont...]

SAFETY DATA SHEET

ETERNAL SUMMER

Page: 3

LINALOOL

201-134-4	78-70-6	-	Skin Sens. 1B: H317	1-10%
-----------	---------	---	---------------------	-------

PHENETHYL ALCOHOL

200-456-2	60-12-8	-	Acute Tox. 4: H302; Eye Irrit. 2: H319	1-10%
-----------	---------	---	--	-------

2-METHYL-4-(2,2,3-TRIMETHYL-3-CYCLOPENTEN-1-YL)-2-BUTEN-1-OL

248-907-2	28219-60-5	-	Eye Irrit. 2: H319; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	1-10%
-----------	------------	---	--	-------

ACETYL HEXAMETHYL TETRALIN (AHTN)

244-240-6	21145-77-7	-	Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	1-10%
-----------	------------	---	--	-------

HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE

250-863-4	31906-04-4	-	Skin Sens. 1B: H317	1-10%
-----------	------------	---	---------------------	-------

BENZYL ACETATE

205-399-7	140-11-4	-	Aquatic Chronic 3: H412	1-10%
-----------	----------	---	-------------------------	-------

HYDROXYCITRONELLAL

203-518-7	107-75-5	-	Eye Irrit. 2: H319; Skin Sens. 1B: H317	1-10%
-----------	----------	---	---	-------

D-LIMONENE

227-813-5	5989-27-5	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	1-10%
-----------	-----------	---	---	-------

GERANIOL

203-377-1	106-24-1	-	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 1: H318	<1%
-----------	----------	---	---	-----

P-MENTHAN-7-OL

237-539-8	13828-37-0	-	Skin Sens. 1B: H317	<1%
-----------	------------	---	---------------------	-----

CITRONELLOL

203-375-0	106-22-9	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319; Skin Sens. 1B: H317	<1%
-----------	----------	---	--	-----

PENTADECALACTONE

203-354-6	106-02-5	-	Skin Sens. 1B: H317; Aquatic Chronic 2: H411	<1%
-----------	----------	---	--	-----

CIS-3-HEXENYL SALICYLATE

265-745-8	65405-77-8	-	Aquatic Acute 1: H400; Aquatic Chronic 1: H410	<1%
-----------	------------	---	--	-----

[cont...]

SAFETY DATA SHEET

ETERNAL SUMMER

Page: 4

BETA-PINENES

204-872-5	127-91-3	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1B: H317; Asp. Tox. 1: H304	<1%
-----------	----------	---	---	-----

METHOXYHYDRATROPALDEHYDE

226-749-5	130-115-2	-	Skin Sens. 1B: H317	<1%
-----------	-----------	---	---------------------	-----

COUMARIN

202-086-7	91-64-5	-	Acute Tox. 4: H302; Skin Sens. 1B: H317	<1%
-----------	---------	---	--	-----

TRANS-ANETHOLE

224-052-0	4180-23-8	-	Skin Sens. 1B: H317	<1%
-----------	-----------	---	---------------------	-----

NEROL

203-378-7	106-25-2	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319; Skin Sens. 1B: H317	<1%
-----------	----------	---	---	-----

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

[cont...]

SAFETY DATA SHEET

ETERNAL SUMMER

Page: 5

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.
Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

[cont...]

SAFETY DATA SHEET

ETERNAL SUMMER

Page: 6

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Pale yellow

Odour: Pleasant

Viscosity: Viscous

Flash point°C: 100

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

[cont...]

SAFETY DATA SHEET

ETERNAL SUMMER

Page: 7

D-LIMONENE

ORL	MUS	LD50	5600	mg/kg
ORL	RAT	LD50	4400	mg/kg
SCU	MUS	LD50	3170	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
Respiratory/skin sensitisation	DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

[cont...]

SAFETY DATA SHEET

ETERNAL SUMMER

Page: 8

Section 14: Transport information

14.1. UN number

UN number: UN3082

14.2. UN proper shipping name

Shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es)

Transport class: 9

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: -

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

[cont...]

SAFETY DATA SHEET

ETERNAL SUMMER

Page: 9

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.